

SKOKIE CONSOLIDATED DRAINAGE DISTRICT

Public Notice

AGENDA

A Regular Meeting of the Commissioners of the Skokie Consolidated Drainage District is scheduled to take place at 6:30 p.m. on Wednesday, May 8, 2024, at the Deerfield Village Hall, 850 Waukegan Road, Deerfield, IL 60015 in the Executive Conference Room 207. (Entry into the building can be accomplished through the Police Station entrance located at the rear of the Village Hall).

The agenda for the meeting of the District will include the following:

1. Call to Order.
2. Public Comment.
3. Approval of Minutes of prior meeting.
4. Status of Accounts for Subdistrict No. 1-East Skokie and Subdistrict No. 2-West Skokie.
5. Consideration of bills to be paid by Sub-District No. 1-East Skokie.
6. Consideration of bills to be paid by Sub-District No. 2-West Skokie.
7. Report from Project Coordinator regarding ongoing projects.
8. Approval of Motion authorizing a written request for the Illinois Department of Transportation (IDOT) to remove a sediment blockage created by the IDOT bridge located at Route 22 (Half Day Road), Highland Park, Illinois.
9. Approval of a motion to authorizing the negotiation of an Intergovernmental Agreement to receive a grant in the amount of \$2,000,000, from the Illinois Department of Commerce and Economic Opportunity (DCEO) for the Skokie River Channel Improvements Park District Highland Park Project.
10. Approval of a Motion to Withdraw Application for an Illinois Section 319 Grant proposal previously authorized and submitted for Skokie River Channel Improvements Park District Highland Park Project.

11. Approval of a Resolution Adopting the Watershed-Based Plans in Lake and Cook County, Illinois.
12. New Business.
13. Motion to adjourn.

MOTIONS MAY BE PASSED AND RESOLUTIONS ADOPTED ON ALL MATTERS SET FORTH ABOVE.

Dated: May 6, 2024

Commissioners Joseph L. Bridges, Todd
Needlman and Michele Mrachek
FUQUA WINTER LTD.
Attorney for Skokie Consolidated
Drainage District
9 North County Street, Suite 200
Waukegan, IL 60085
PH: 847.244.0770